



PHARMACOGNOSY

CLASSIFICATION OF CRUDE DRUGS

ODR COLLEGE. OF PHANIRA Unit 2nd

Classification of crude drugs

- Crude drug i.e Simpledrug
- Crude drugs are plant, animal or their parts which after collection are subjected only to drying or making them into transverse/ longitudinal slices pieces or peeling them in some cases. They exist in natural form.
- Crude drugs may be derived from various natural sources like plants, animals, minerals and micro-

organisms etc.

- Because of their wide distribution the arrangement of classification in a definite sequence is necessary to understand easily. Although each system of classification has its own merits and demerits, but for the purpose of study the drugs are classified in the following different ways:
- Alphabetical classification
- Morphological classification
- Taxonomical classification
- ¹⁰Pharmacological classification

[™]Chemo-taxonomical classification

1. Alphabetical classification

 The crude drugs are arranged according to the alphabetical order/form of their Latin and English names. Some of the Pharmacopoeias and reference books which classify crude drugs according to this system are as follows.

- 1) Indian Pharmacopoeia (IP) 1955 (Latin)
- 2) Indian Pharmacopoeia (IP) 1966 (English)
- 3) British Pharmacopoeia (BP)(English)
- 4) British Pharmacopoeia Codex (BPC) (English)
- 5) United States of Pharmacopoeia (USP) (English)
- 6) European Pharmacopoeia (Latin)

Advantages:

- It is simple method, in this system location, tracing and addition of the drug is easy,
- No technical person is required for handling the system.
- Disadvantages:
- Scientific nature of the drug cannot be identified by this method, whether they are organised or unorganised drug.

• This system does not help in distinguishing the drugs of plant, animal and mineral source. (Original source is not clear)

Examples:

 Acacia, Agar, Benzoin, Beeswax, Cinchona, Cinnamon, Digitalis, Datura, Ephedra, Fennel, Ginger, Isapagol, Jalap, Kino, Linseed, Mustard, Nutmeg, etc.

2. Morphological classification:

Here the crude drugs are arranged (Grouped)
 according to the part of the plant or animal
 represented into organised (Cellular) drugs and
 unorganised (Acellular) drugs.

Organised (Cellular):

Drugs are the direct parts of the plant and are

divided into leaves, barks wood, root, rhizome, seed, fruit, flower, stem, hair and fibers.



Unorganised (Acellular):

 Drugs are the products of plant, animal and mineral source and they are divided into dried latex, dried juice, dried extracts, gums, resins, fixed oils and fats, waxes, volatile oil, animal products, minerals (Solids, liquids, semi solids etc). **Plant parts**

Stems

Leaves

Hair and Fibres

Barks

Wood

Organised drugs (Plant)

(Cellular drugs)

Roots

Rhizomes

Flowers

Seeds

Fruits

Drugs ood, Red

Datura, sanders

Senna, Rauwol

Vasaka, fia,

Digitalis, Liquori

Cinnamo ce,

n, Ipecac

Cinchon Ginger,

a, Podoph

Kurchi, yllum,

Quassia, Turmeri

Sandalw c Clove,

Saffron, Pyrethrum

Nux vomica, Linseed, Isapgol

Fennel, Coriander, Dill

Ephedra

Cotton, Hemp, Jute

Plant, animal, Mineral Drugs

Dried latex Opium, Papain

Dried Juice Aloe, Kino

Dried extracts Agar, Catechu, Pectin

Unorganised drugs (Acellular drugs)

Gums Acacia, Tragacanth, Stericulia

Resins Benzoin, Colophony, Asafoetida

Waxes Beeswax, Spermaceti

Volatile oils Coriander, Cinnamon, Clove

Animal products

Bees wax, Shark liver oil, Gelatin

Minerals

Bentonite, Kaolin, Talc

Advantages:

- This system of classification is more convenient for practical study especially when the chemical nature of the drug is not clearly understood.
- This type of classification is very useful in identifying the adulterants used.
- Disadvantages:
- It does not give an idea about biological source, chemical constituents and uses.

• When different parts of the plant contain different chemical constituents, it is difficult to classify them.

- 3. Chemical classifications of crude drugs
- Here, the crude drugs are divided into different groups according to the chemical nature of their most important constituent present in the drug to which the pharmacological/therapeutic activity of drug is attributed.

Chemical constituents

Alkaloids

Glycosides

Tannins

Volatile oil

Lipids

Carbohydrates and derived

products

Resins

Drugs

Vitamins & hormones Proteins &

enzymes

Datura, Vasaka,

Vinca, Lobelia

Cascara, Senna,

Digitalis

Catechu,

Myrobalan,

Ashoka Clove,

Eucalyptus,

Cinnamon

Castor oil,

Beeswax,

Arachisoil

Acacia, Agar, Honey, Linseed

Tragacanth, Starch

Colophony, Benjoin,

Yeast, Shark liver oil, Insulin

Gelatin, Papain,

Advantages:

- Chemical constituents are known,
- Medicinal uses are known
- Disadvantages:
- Drugs of different origin are grouped under similar chemical titles.
- This type of classification makes no proper placement of drugs containing two different types of chemicals.
- Eg: Certain drugs are found to contain alkaloids and glycosides (Cinchona), Fixed oil and volatile oil (Nutmeg) of

equal importance together and hence it is difficult to categorize them properly

- 4. Taxonomical classification of crude drugs
 - In this system the drug are arranged according to taxonomical studies. The drugs are arranged according to their phylum, order, family, genus and species. It is purely a type of botanical classification or biological classification and restricted mainly to crude drugs from plant source.

Phylum	Order	Family	Drugs
Angiosperms (Monocotyledons)	Liliflorae	Liliaccae	Colchicum, Asparagus Dioscorea, Vanilla
	Microspermae	Dioscoriaceae	
Angiosperms (Dicotyledons)	Papaverales	Papaveraceae	Opium
	Rosales	Rosales	Almond, Rose oil
		Leguminaceae	Glycyrihiza, Senna
	Rutales	Rutaceae	Bael,Lemon, Orange
	Rhamnales	Rhamnaceae	Cascara
	Malvales	Malvaceae	Cotton
	Umbelliflorae	Umbelliferae	Coriander, Caraway, Fennel
	Gentianales	Loganiaceae	

entianceae

Apocyanaceae

Nuxvomica

Chirata

Kurchi, Strophanthus

Advantages:

Easy for the classification of crude drugs

Disadvantages:

- The system is criticized for its failure to recognize the organised / unorganised nature of crude drugs in their morphological studies.
- The system fails to face into an account chemical nature of active constituent and therapeutic significance of crude drugs.
- The drugs obtained from plants having alternate leaves, flowers, seeds, capsules (Hyocyamus, Datura, Bellodonna,

Stromonium) are considered with other members of solanaceae.

6. Pharmacological classification of crude

drugs:

 Here, the crude drugs are grouped according to pharmacological action (Therapeutic action) of their chief active constituent (most important) or therapeutic uses. Bitter - Quassia, Cinchona, Gentian

Carminatives - Dill, Clove, Fennel, Coriander

Emetics - Ipecac

Anti-amoebic
 Kurchi, İpecac

Bulk Laxatives - Agar, Isapgol

Purgatives
 Senna, Castoroil

Expectorant Liquorice, Vasaka, Ipecac

• Antitussive - Opium

Bronchodilators - Ephedra, Tea

Cardio-tonics - Digitalis, Squill, Stropanthus

- Cardiac depressant -
- Cinchona, Veratrum
- Antihypertensive
- Rauwolfia
- Central analgesics
- Astringents
- CNS stimulants
- Antimalarials
- CNS depressants
- Local anesthetics
- Antispasmodics
- Anticancer
- Antirheumatics
- Anthelmintics

- Opium

- Cinchona, Artemisia.

Coffee

- Coca

- Opium
- Bellodonna
- Vinca,Podophyllum,Cochicum
- Aconite,Guggul,Colchicum
- Vidang,Quassia,Malefern
- Catechu.

Advantages

 The special advantage is that if even chemical constituents of the crude drugs are not known they can be classified properly on the basis of therapeutic or pharmacological uses.

Disadvantages

- Regardless of morphology, taxonomical status or chemical nature, the drugs are grouped together, provided they exhibit similar pharmacological uses.
- Eg: Senna, Castor oil, Jalap, Colocynth are grouped together as purgatives/laxatives because of their common pharmacological action.

- 6. Chemo- taxonomical classification of crude drugs
 In this system of classification, the equal importance is given for taxonomical status and chemical constituents. There are certain types of chemical constituents which are characteristics of certain classes of plants.
- Eg: Tropane alkaloids generally occur in most of the members of Solanaceae
- Eg: Volatile oils occur in the members of Umbelliferae and Rutaceae.

Question bank

- 1. Define crude drug 2 marks
- 2. Name the various methods of classification of crude drugs.
- 3. What do you mean by organised (Cellular) and unorganised (Acellular) crude drugs give examples
 5 marks
- 4. Describe morphological classification of crude drugs with examples
 5 marks

- 5. Explain chemical classification of crude drugs with examples 5 marks
- 6. Explain chemical classification of crude drugs with

- 7.Explain pharmacological or therapeutic classification of crude drugs with examples
 5 marks
- 8. Write in detail alphabetical and taxonomical or botanical classification of crude drugs
 5 marks
- 9. Define chemotaxonomy. Give its significances or importance's
- 10. Explain the differences between organised and unorganised crude drugs.
 5 marks
- 11. Define crude drug. Explain various methods of classification of crude drugs with examples 10 marks

Thanking You